


www.luxaflex.co.uk


Roller Blinds

Suggested Retail Prices (inc.VAT)

March 2024

Child Safety


All of our products meet with the child safety requirements of EN 13120:2009+A1:2014, Internal blinds – performance requirements including safety.

LiteRise® Roller blinds

This operating system is classed as inherently safe and is therefore exempt from the requirements of EN 13120:2009+A1:2014

Safety Chain break

The standard specification for Luxaflex® Roller blinds with side chain control will be a safety chain break. This pre-fitted small connector is designed to safely split the chain apart should a child become entangled in the loop.



Safety chain break

Control lengths

As a requirement of EN 13120:2009+A1:2014, the maximum control length is determined by the safety device used on the product as well as the drop of the blind or installation height. The chart below details the maximum length of looped control chain available.

Maximum control lengths

Safety Device Used	Installation Height	Loop Length
Safety chain break	Not known	2/3 of the blind drop
	Known	Distance from floor to end of control to be at least 0.6m
	Not known and drop of blind up to 2.5m	Up to 1m
	Not known and drop of blind over 2.5m	Blind drop less 1.5m
	Known	Distance from floor to end of control to be at least 1.5m



FOR FURTHER COPIES OF THIS AND ALL OTHER LUXAFLEX® PRICELISTS GO TO THE DEALER PORTAL <http://dealers.luxaflex.co.uk>
You can download order forms for all products at <http://dealers.luxaflex.co.uk>



www.pinterest.com/LuxaflexUK



www.facebook.com/LuxaflexUK



twitter.com/LuxaflexUK



youtube.com/LuxaflexUK

CONTACT DETAILS

Address

Luxaflex® UK
Battersea Road
Heaton Mersey Industrial Estate Stockport, Cheshire
SK4 3EQ

Phone numbers

Front desk: 0161 442 9500

Fax numbers

Sale: 0161 432 3200

Email addresses

General: info@luxaflex.co.uk
Orders: orders.online@luxaflex.co.uk Marketing: marketing@luxaflex.co.uk
Training Academy: training.academy@luxaflex.co.uk

General Luxaflex website

www.luxaflex.co.uk

Dealer website

<http://dealers.luxaflex.co.uk/>

On the dealer portal you can find the most up to date lead time, and product information as well as order forms.

- Luxaflex® digital ordering system "Connect": www.luxaflexconnect.co.uk

Please note the following important information:

- All text, images, interfaces, photos of Hunter Douglas products or otherwise, trademarks, logos, sounds, music and artwork ("the Content"), including but not limited to it design, structure and / or selection, of such content displayed on this Website is owned by or licensed to Hunter Douglas and / or its affiliate companies (collectively "Hunter Douglas").
- The content may be used, but exclusively for the promotion of Luxaflex® products. Any other use of the Content of the Websites is strictly prohibited.
- The material and all related rights remain exclusive ownership of (the subsidiary concerned from) Hunter Douglas, unless expressly different agreed.

HOW TO CALCULATE A PRICE

- Based on your specific width and height, the prices detailed on pages 15 and 16 indicate the price for a standard product. On this page the standard product is defined.
- If applicable, options or alternative controls can be added. After calculating the price for a standard product, the add-on price for an option and the add-on price for the type of control can be added. The total product price is the combination of the price tables, options and alternative control.

HOW TO ORDER

Luxaflex® Connect

- Instant ordering, 24/7-even when the Luxaflex® office is closed
- Final order input onto our system-no queries
- Full insight into your order history
- Luxaflex® Connect will confirm if the blind is possible to manufacture
- Instant pricing including all product surcharges, with discounts show as a value and not a percentage.
- Available on mobile devices
- Full online programme which means no installation of software is required.





Please note prices are based on metric calculations, Imperial sizes should be used as a guide only

Chain operation - standard specification

TYPE 10 - operating system, supplied with chain breakaway connector.

- Type 10 (bracket) system as standard.
- Uncovered white bottom bar.
- White steel bracket, white end caps and white covers
- Silver operating chain with grey breakaway connector
- Top/Face fix brackets

PRICE GROUP E

Order surcharge - £11 per order

	Width	mm ins	600 24"	800 32"	1000 40"	1200 48"	1400 56"	1600 63"	1800 71"	2000 79"	2200 87"	2400 95"	2600 103"	2800 108"	3000 119"	3200 126"	3400 134"	3500 142"
Drop	mm	ins	£	£	£	£	£	£	£	£	£	£	£	£	£	£	£	£
	800	32"	105	144	155	184	198	218	233	252	263	314	332	344	360	719	744	764
	1000	40"	141	150	175	195	211	225	242	260	272	324	342	357	377	719	744	764
	1200	48"	144	155	184	198	216	234	254	267	285	337	353	375	389	733	758	780
	1400	56"	152	171	191	209	225	242	261	279	299	348	371	387	400	747	769	794
	1600	63"	153	175	195	215	233	254	267	290	308	360	382	396	420	758	782	805
	1800	71"	157	180	198	222	240	260	279	301	319	377	393	414	432	769	796	861
	2000	79"	162	188	209	225	249	265	290	310	332	387	402	429	443	782	843	870
	2200	87"	170	191	213	233	256	276	301	319	342	396	420	438	459	796	863	884
	2400	95"	173	195	216	240	261	283	306	332	350	405	431	454	477	843	875	902
	2600	103"	175	198	224	243	267	292	314	341	360	422	440	465	492	863	884	958
	2800	108"	180	202	229	254	276	301	321	346	373	431	454	479	503	875	904	965
	3000	119"	184	209	233	258	281	308	333	355	380	440	465	492	513	884	958	978
	3200	126"	341	373	402	436	512	625	598	623	659	719	774	841	870	971	965	990
	3400	134"	344	378	405	441	519	634	607	634	665	726	825	859	884	956	978	999
	3600	142"	348	386	416	503	531	638	618	641	675	742	839	868	976	967	992	1,019
	3800	150"	350	387	420	506	535	647	621	657	683	749	846	879	987	976	999	1,032
	4000	158"	357	393	429	512	634	663	632	665	697	805	864	976	965	990	1,019	1,046

PRICE GROUP 1

Order surcharge - £11 per order

	Width	mm ins	600 24"	800 32"	1000 40"	1200 48"	1400 56"	1600 63"	1800 71"	2000 79"	2200 87"	2400 95"	2600 103"	2800 108"	3000 119"	3200 126"	3400 134"	3500 142"
Drop	mm	ins	£	£	£	£	£	£	£	£	£	£	£	£	£	£	£	£
	800	32"	117	150	175	197	215	231	249	263	281	333	348	364	382	767	805	834
	1000	40"	146	155	189	202	222	240	258	272	294	344	360	382	396	767	805	834
	1200	48"	150	161	195	213	231	252	267	285	306	357	380	395	416	801	834	863
	1400	56"	157	175	198	222	240	260	279	301	317	377	393	414	432	825	859	884
	1600	63"	162	188	209	229	249	267	292	310	333	387	405	431	445	850	881	931
	1800	71"	171	193	215	234	258	279	303	321	344	398	423	441	465	870	931	958
	2000	79"	175	197	222	242	265	290	312	335	355	416	436	459	483	924	956	981
	2200	87"	180	200	225	252	272	301	321	346	373	431	454	479	501	947	992	1,008
	2400	95"	184	211	233	258	283	308	333	357	386	440	467	494	513	981	998	1,035
	2600	103"	189	215	240	263	292	317	344	371	395	456	483	506	535	1,005	1,025	1,061
	2800	108"	193	218	243	269	301	323	353	380	405	467	497	519	549	1,032	1,046	1,084
	3000	119"	195	224	252	279	306	335	362	391	420	481	508	537	564	1,057	1,075	1,113
	3200	126"	373	454	512	551	591	666	688	728	774	877	956	994	1,035	1,100	1,098	1,179
	3400	134"	378	463	521	562	600	679	708	747	821	890	976	1,019	1,059	1,125	1,124	1,203
	3600	142"	387	470	533	575	616	688	722	765	837	931	996	1,039	1,111	1,149	1,190	1,259
	3800	150"	389	476	537	580	665	706	735	807	855	949	1,017	1,066	1,129	1,170	1,241	1,284
	4000	158"	396	510	549	593	675	719	749	830	890	967	1,035	1,111	1,152	1,197	1,268	1,311

Carriage paid for delivery to mainland dealer addresses in England, Scotland and Wales. Surcharge may apply for home and non-mainland deliveries. Delivery to the Channel Islands - £35.50. Delivery to Northern Ireland - £25.

Roller Blinds

RETAIL PRICES INCLUDING VAT.



Please note prices are based on metric calculations, Imperial sizes should be used as a guide only

PRICE GROUP 2

Order surcharge - £11 per order

Width	mm	600	800	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3200	3400	3500
ins	ins	24"	32"	40"	48"	56"	63"	71"	79"	87"	95"	103"	108"	119"	126"	134"	142"
Drop	mm	£	£	£	£	£	£	£	£	£	£	£	£	£	£	£	£
800	32"	155	188	209	229	252	269	294	314	341	395	420	438	459	886	922	954
1000	40"	171	195	218	240	263	290	312	337	360	422	441	465	492	886	922	954
1200	48"	177	202	229	256	281	306	333	357	386	441	474	497	519	927	965	999
1400	56"	188	213	240	267	299	323	350	380	405	474	499	526	551	969	1,008	1,066
1600	63"	193	222	254	281	310	342	373	398	431	497	521	555	587	1,010	1,073	1,111
1800	71"	198	231	261	299	324	357	391	422	454	517	549	587	616	1,073	1,118	1,154
2000	79"	209	240	272	308	342	377	411	441	477	546	580	614	647	1,111	1,154	1,201
2200	87"	215	252	285	321	355	393	429	465	501	567	605	641	675	1,151	1,199	1,246
2400	95"	222	260	299	335	373	411	445	483	521	594	632	668	708	1,190	1,242	1,291
2600	103"	229	265	308	346	389	425	465	506	546	618	661	699	742	1,235	1,286	1,341
2800	108"	234	276	317	357	398	441	483	522	566	641	681	724	767	1,273	1,329	1,386
3000	119"	240	283	324	373	416	458	503	546	589	666	710	753	796	1,314	1,372	1,467
3200	126"	425	522	600	663	719	798	857	913	1,001	1,118	1,197	1,253	1,300	1,354	1,455	1,532
3400	134"	436	537	618	677	776	823	882	976	1,035	1,145	1,233	1,318	1,334	1,439	1,523	1,575
3600	142"	443	573	630	693	792	843	906	999	1,080	1,179	1,266	1,354	1,415	1,505	1,565	1,617
3800	150"	454	580	638	710	814	863	958	1,025	1,111	1,208	1,325	1,390	1,455	1,547	1,601	1,667
4000	158"	508	594	663	724	834	886	987	1,070	1,143	1,241	1,358	1,426	1,521	1,590	1,656	1,750

PRICE GROUP 3

Order surcharge - £11 per order

Width	mm	600	800	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3200	3400	3500
ins	ins	24"	32"	40"	48"	56"	63"	71"	79"	87"	95"	103"	108"	119"	126"	134"	142"
Drop	mm	£	£	£	£	£	£	£	£	£	£	£	£	£	£	£	£
800	32"	191	231	260	292	321	350	386	414	441	506	540	566	598	999	1,039	1,080
1000	40"	213	243	279	310	344	378	414	443	479	548	580	614	647	999	1,039	1,080
1200	48"	224	260	299	333	371	405	441	479	513	589	621	663	699	1,061	1,102	1,149
1400	56"	233	272	312	353	393	432	474	512	551	625	666	708	747	1,122	1,165	1,235
1600	63"	243	290	333	375	418	459	504	548	591	668	710	753	796	1,179	1,246	1,302
1800	71"	258	305	348	395	440	486	535	580	625	708	753	800	846	1,253	1,311	1,363
2000	79"	265	317	364	418	465	513	564	616	665	749	796	846	897	1,313	1,370	1,431
2200	87"	279	333	387	438	486	542	594	647	702	789	839	890	947	1,372	1,437	1,496
2400	95"	292	346	400	458	512	567	623	681	738	830	882	942	994	1,431	1,496	1,561
2600	103"	303	357	420	477	537	594	659	713	776	866	926	985	1,043	1,491	1,561	1,633
2800	108"	310	375	436	501	558	621	683	747	807	906	967	1,032	1,089	1,550	1,626	1,730
3000	119"	321	389	454	517	582	647	713	780	843	945	1,010	1,077	1,143	1,610	1,725	1,800
3200	126"	481	600	697	776	855	954	1,034	1,111	1,219	1,350	1,451	1,527	1,592	1,671	1,788	1,887
3400	134"	497	620	717	796	918	985	1,066	1,179	1,278	1,397	1,503	1,610	1,646	1,770	1,876	1,952
3600	142"	508	659	738	823	945	1,017	1,102	1,214	1,322	1,440	1,550	1,615	1,745	1,853	1,932	2,013
3800	150"	562	668	753	843	967	1,046	1,167	1,269	1,361	1,484	1,626	1,669	1,800	1,908	1,993	2,099
4000	158"	576	684	778	908	998	1,077	1,201	1,313	1,406	1,529	1,676	1,766	1,883	1,975	2,090	2,182

PRICE GROUP 4

Order surcharge - £11 per order

Width	mm	600	800	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3200	3400	3500
ins	ins	24"	32"	40"	48"	56"	63"	71"	79"	87"	95"	103"	108"	119"	126"	134"	142"
Drop	mm	£	£	£	£	£	£	£	£	£	£	£	£	£	£	£	£
800	32"	211	243	281	314	350	389	423	458	497	564	598	634	670	1,082	1,129	1,178
1000	40"	224	263	305	344	386	422	463	503	542	616	659	697	735	1,082	1,129	1,178
1200	48"	238	281	324	373	416	458	504	548	591	668	711	758	800	1,156	1,206	1,260
1400	56"	254	303	348	396	443	497	542	591	636	720	769	819	866	1,232	1,286	1,358
1600	63"	265	319	375	423	477	531	582	632	684	776	830	881	931	1,322	1,381	1,439
1800	71"	281	341	395	454	508	566	621	679	735	830	882	944	998	1,397	1,460	1,521
2000	79"	299	355	420	479	540	602	665	722	787	881	944	1,001	1,066	1,467	1,532	1,602
2200	87"	310	377	440	506	573	634	706	769	836	936	998	1,066	1,129	1,539	1,610	1,683
2400	95"	323	395	465	533	602	674	744	814	882	985	1,057	1,125	1,194	1,610	1,689	1,766
2600	103"	341	414	485	558	632	710	782	857	931	1,037	1,113	1,187	1,260	1,685	1,766	1,845
2800	108"	350	431	508	587	666	744	821	900	978	1,086	1,169	1,244	1,323	1,763	1,844	1,966
3000	119"	364	445	531	614	693	778	861	945	1,025	1,143	1,226	1,307	1,390	1,833	1,959	2,070
3200	126"	521	661	769	861	992	1,068	1,163	1,284	1,381	1,523	1,640	1,718	1,809	1,944	2,056	2,150
3400	134"	540	699	791	888	1,025	1,111	1,206	1,329	1,444	1,577	1,698	1,779	1,921	2,042	2,133	2,231
3600	142"	555	719	819	918	1,046	1,147	1,280	1,381	1,496	1,635	1,788	1,845	1,991	2,115	2,209	2,308
3800	150"	612	735	839	947	1,075	1,181	1,320	1,439	1,548	1,689	1,844	1,952	2,081	2,177	2,281	2,411
4000	158"	625	755	866	1,010	1,111	1,223	1,363	1,489	1,599	1,773	1,907	2,013	2,153	2,263	2,400	2,549

Carriage paid for delivery to mainland dealer addresses in England, Scotland and Wales. Surcharge may apply for home and non-mainland deliveries. Delivery to the Channel Islands - £35.50. Delivery to Northern Ireland - £25.





Please note prices are based on metric calculations, Imperial sizes should be used as a guide only

System Options

Mounting Profile Option

Width	mm	600	800	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000
	ins	24"	32"	40"	48"	56"	63"	71"	79"	87"	95"	103"	108"	119"
		£	£	£	£	£	£	£	£	£	£	£	£	£
		47	54	62	69	78	87	92	101	107	117	128	134	141

Order surcharge - £11 per order

Cassette options

Width	mm	600	800	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3200	3400	3500
	ins	24"	32"	40"	48"	56"	63"	71"	79"	87"	95"	103"	108"	119"	126"	134"	142"
		£	£	£	£	£	£	£	£	£	£	£	£	£	£	£	£
S1 Open/Closed		56	69	87	98	117	130	146	155	175	189	209					
S2 Open/Closed		65	78	99	110	135	148	171	184	202	218	240					
S3 Open/Closed		128	148	171	211	231	258	281	305	341	362	389	411	443	474	499	508

Order surcharge - £11 per order

Decorative Options

Decorative Bottom Bars

Width	mm	600	800	1000	1200	1400	1600	1800	2000	2200	2500
	ins	24"	32"	40"	48"	56"	63"	71"	79"	87"	95"
		£	£	£	£	£	£	£	£	£	£
		38	40	42	53	54	56	65	67	69	74

Order surcharge - £11 per order

Fabric Wrapped Bottom Bar (fabric dependent, please see collection book)

Width	mm	600	800	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000
	ins	24"	32"	40"	48"	56"	63"	71"	79"	87"	95"	103"	108"	119"
		£	£	£	£	£	£	£	£	£	£	£	£	£
		22	22	24	24	26	26	31	31	33	33	35	35	36

Order surcharge - £11 per order

OPTIONS

White, Grey or Black Plastic brackets	FOC
Design Brackets (33mm, 38mm, 46mm) - includes chain and breakaway	£27

Order surcharge - £11 per order

Control Options

LiteRise®	£72
SoftRaise®	£72
PowerView®	Please see PowerView® pricelist
Motorised 24v	POA

Operation

Reverse Roll	FOC
Tensioned wire guiding - per metre drop	£27

Drop	mm	1000	1500	2000	2500	3000	3500	4000
	ins	40"	58"	79"	96"	119"	142"	134"
		£	£	£	£	£	£	£
35mm Channel guiding		103	146	189	229	267	312	350

Order surcharge - £11 per order

Drop	mm	1000	1500	2000	2500	3000	3500	4000
	ins	40"	58"	79"	96"	119"	142"	134"
		£	£	£	£	£	£	£
64mm Channel guiding		148	213	263	324	386	441	501

Order surcharge - £11 per order

Carriage paid for delivery to mainland dealer addresses in England, Scotland and Wales. Surcharge may apply for home and non-mainland deliveries. Delivery to the Channel Islands - £35.50. Delivery to Northern Ireland - £25.



MEASURING

Recess size reductions

Recess width reduction: 3 mm.

Blind size width: no reductions

Specifying the fabric width is not possible

Deduction of blind width to fabric width

Fabric Deduction			Tube 31/37		Tube 50		Tube 62
Type	Model	Operation	Steel	Design/ plastic	Steel	Design/ plastic	Steel
10	11	Chain	24 mm	27 mm	31 mm	34 mm	34 mm
	14	LiteRise®	N/A	N/A	N/A	N/A	N/A
	16	M25	25 mm	25 mm	N/A	N/A	N/A
	16	M40	N/A	N/A	43 mm	43 mm	38 mm
	16	M50	N/A	N/A	N/A	N/A	49 mm
	18	PowerView®	25 mm	25 mm	43 mm	43 mm	49 mm
Type	Model	Operation	Steel	Design/ plastic	Steel	Design/ plastic	Steel
20	21	Chain	32 mm	35 mm	31 mm	34 mm	
	24	LiteRise®	21 mm	21 mm	N/A	N/A	N/A
	26	M25T / M40T	25 mm	25 mm	43 mm	43 mm	N/A
	28	PowerView®	25 mm	25 mm	43 mm	43 mm	N/A
	Without CP	with CP	Operation	Cassette	N/A	N/A	N/A
S1	561	571	Chain	19 mm	N/A	N/A	N/A
	564	574	LiteRise®	21 mm	N/A	N/A	N/A
	566	576	M25T / M40T	25 mm	N/A	N/A	N/A
	568	578	PowerView®	25 mm	N/A	N/A	N/A
	Without CP	with CP	Operation	Cassette	N/A	N/A	N/A
S2	581	591	Chain	19 mm	N/A	N/A	N/A
	584	594	LiteRise®	21 mm	N/A	N/A	N/A
	586	596	M25T / M40T	25 mm	N/A	N/A	N/A
	588	598	PowerView®	25 mm	N/A	N/A	N/A
	Without CP	with CP	Operation	Cassette	N/A	N/A	Cassette
S3	681	691	Chain		N/A	30 mm	N/A
	686	696	230V motor		N/A	44 mm	N/A
	688	698	PowerView®		N/A	39 mm	N/A

CP = closing profile. This is the profile which is attached to the base of the cassette to make it a closed cassette.

Note:

Deduction always based on blind sizes

This is an indication of fabric width. Exact fabric width depends on fabric, model type and product dimensions.

+/- 2mm tolerance is accepted on the above sizes

This table also applies to cable guiding

Roller Blinds

MODELS

Based on size, fabric properties (thickness) and options the perfect tube diameter and brackets length are selected. When ordering multiple blinds in 1 order, please indicate if all blinds need to be produced on the same bracket length. This bracket will be the longest bracket required to produce the biggest (widest) blind. *Only for Models 10 and 20

Luxaflex® Roller blinds are available from 210 mm width up to a maximum width of 3500 mm, with a maximum height of 4500 mm. The minimum size is specified by each operation type. For a LiteRise® operation the minimum width is depending on fabric specifics (see collection overview).

All Luxaflex® Roller blinds will be supplied with a spring loaded bearing for maximum security and ease of installation.

Model 10

Roller blinds mounted on brackets										
	Concept	Operation	Tube diameter							
			M: Ø 31		L: Ø 37		XL: Ø 50		XXL: Ø 62	
			Max. width	Max. height	Max. width	Max. height	Max. width	Max. height	Max. width	Max. height
	Steel	1. Chain	2000	3000	2500	3000	3000	3000	3500	4500
		4. LiteRise®	2000	3000	2500	3000				
		6. Motorised	2000	3000	2500	3000	3000	3000	3500	4500
		7. Coupled	2000	3000	2500	3000	3000	3000	3500	4500
		8. PowerView®	2000	3000	2500	3000	3000	3000	3500	4500
	Design Edition	1. Chain	2000	3000	2500	3000	3000*	3000*		
		4. LiteRise®	2000	3000	2500	3000				
		6. Motorised	2000	3000	2500	3000	3000*	3000*		
		8. PowerView®	2000	3000	2500	3000	3000*	3000*		
	Budget	1. Chain	2000	3000	2500	3000				
		4. LiteRise®	2000	3000	2500	3000				
		6. Motorised	2000	3000	2500	3000				
		8. PowerView®	2000	3000	2500	3000				

* Colour 7060 Pearl Chrome only

Model 20

Roller blinds mounted on mounting profiles										
	Concept	Operation	Tube diameter							
			M: Ø 31		L: Ø 37		XL: Ø 50		XXL: Ø 62	
			Max. width	Max. height	Max. width	Max. height	Max. width	Max. height	Max. width	Max. height
	Steel	1. Chain	2000	3000	2500	3000	3000	3000		
		2. Chain + CBS	2000	3000	2500	3000	3000	3000		
		3. SoftRaise®	2000	2500						
		4. LiteRise®	2000	3000	2500	3000				
		6. Motorised	2000	3000	2500	3000	3000	3000		
		8. PowerView®	2000	3000	2500	3000	3000	3000		
	Design Edition*	1. Chain	2000	3000	2500	3000	3000	3000		
		2. Chain + CBS	2000	3000	2500	3000	3000	3000		
		3. SoftRaise®	2000	2500						
		4. LiteRise®	2000	3000	2500	3000				
		6. Motorised	2000	3000	2500	3000	3000	3000		
		8. PowerView®	2000	3000	2500	3000	3000	3000		

Roller Blinds



	Budget	1. Chain	2000	3000	2500	3000	3000	3000		
		2. Chain + CBS	2000	3000	2500	3000	3000	3000		
		4. LiteRise®	2000	3000	2500	3000				
		6. Motorised	2000	3000	2500	3000	3000	3000		
		8. PowerView®	2000	3000	2500	3000	3000	3000		

* Colour 7060 Pearl Chrome only

Model 560-570

Roller blinds mounted on cassette S1										
	Concept	Operation	Tube diameter							
			M: Ø 31		L: Ø 37		XL: Ø 50		XXL: Ø 62	
			Max. width	Max. height	Max. width	Max. height	Max. width	Max. height	Max. width	Max. height
	Steel	1. Chain	2000	3000	2500	2800				
		2. Chain + CBS	2000	3000	2500	2800				
		3. SoftRaise®	2000	2500						
		4. LiteRise®	2000	3000	2500	2800				
		6. Motorised	2000	3000	2500	2800				
		8. PowerView®	2000	3000	2500	2800				

Model 580-590

Roller blinds mounted on cassette S2										
	Concept	Operation	Tube diameter							
			M: Ø 31		L: Ø 37		XL: Ø 50		XXL: Ø 62	
			Max. width	Max. height	Max. width	Max. height	Max. width	Max. height	Max. width	Max. height
	Steel	1. Chain	2000	3000	2500	3000				
		2. Chain + CBS	2000	3000	2500	3000				
		3. SoftRaise®	2000	2500						
		4. LiteRise®	2000	3000	2500	3000				
		6. Motorised	2000	3000	2500	3000				
		8. PowerView®	2000	3000	2500	3000				

Model 680-690

Roller blinds mounted on cassette S3										
	Concept	Operation	Tube diameter							
			M: Ø 31		L: Ø 37		XL: Ø 50		XXL: Ø 62	
			Max. width	Max. height	Max. width	Max. height	Max. width	Max. height	Max. width	Max. height
	Steel	2. Chain + CBS					3000	3000	3500	3000*
		6. Motorised					3000	3000	3500	3000*
		8. PowerView®					3000	3000	3500	3000*

* Maximum possible height can vary per fabric type. See Luxaflex® Easy Ordering for details.

Model Skylight

Roller blinds mounted on cassettes for skylight windows							
	Concept	Operation	Width		Height		Surface
			MIN. width	MAX. width	MIN. height	MAX. height	MAX. m²
	Steel	Manual	350	1200	300	1200	1.6m²



Size Chart

Book	Substance name	Dimensions						Welding seam from
		Standard in mm		Rotate in mm		Stuck in mm		
		Width	Height	Width	Height	Width	Height	
1	Alpha			2970	4000			
1	Amaranth			2350	3000			
2	Amaranth RD			2370	3000			
1	Argos	3500	2542	2870	4000	3500	4000	2860
1	Arles StainStop			2970	4000			
1	Arwen			2570	3000			
1	Aster			2370	3000			
1	Aster Delight			2970	4000			
1	Aster Linen Delight			2970	4000			
2	Basalt RD			2370	3000			
1	Bjork			2370	3000			
1	Bjork			2370	4000			
2	Bjork RD			2370	3000			
2	Brescia RD			2370	3000			
1	Camara			1920	3000			
1	Cera			2770	3000			
1	Contorno StainStop			2970	4000			
1	Corato			2370	4000			
1	Corwen			2370	3000			
2	Corwen RD			2370	3000			
1	Day 5%			2470	2500			
1	Dense	3500	2290	2470	3000			
1	Elegance StainStop			2370	3000			
1	Elements	3500	2642	2970	4000	3500	4000	2960
1	Elements	3500	1642	1970	4000	3500	3576	1960
1	Endure			2970	4000			
1	Equinox StainStop			2870	3000			
2	Esterno RD	3500	1642	1970	4000	3500	3576	1960
2	Forio RD			2370	3000			
1	Frisa			2870	3000			
1	Furore StainStop			2970	3500			
1	Gerola			2070	3000			
1	GreenScreen Sea-Tex® Defend™			2970	3500			
1	GreenScreen Sea-Tex® NXT			2970	4000			
2	GreenScreen Sea-Tex® NXT RD			2870	4000			
1	Guard			2470	4000			
2	Hannaliz RD			2770	3000			
1	Jax			2370	3000			
2	Jax RD			2370	3000			
2	Jewel RD	3500	310	2970	4000	3500	4000	2960
1	Judson			2970	4000			
1	Kirtana			2370	3000			
1	Kundera Delight			2970	4000			
1	Largo Re-Life			2870	3000			
1	Ley Delight			2970	4000			
1	Lille			2970	4000			
2	Lille RD			2500	4000			
2	Linen RD	3500	1642	1970	4000	3500	3576	1960
2	Lumiere RD	3500	1642	1970	4000	3500	3576	1960
2	Lumiere RD	3500	2642	2970	4000	3500	4000	2960
2	Luzzi RD			2370	3000			
1	Lylith			2770	4000			

Dimensions based on uncoated bottom rail and tube 62 mm



Size Chart

Book	Substance name	Dimensions						Welding seam from
		Standard in mm		Rotate in mm		Stuck in mm		
		Width	Height	Width	Height	Width	Height	
2	Lyon RD			2870	4000			
1	Maracana			2070	4000			
1	Matino Delight			2970	3000			
1	Melle Delight			2970	3000			
1	Mesh			2770	4000			
1	Misstel			2370	3000			
2	Misstel RD			2370	3000			
1	Natyana	3500	2342	2670	4000	3500	4000	2660
2	Nero BO			2970	4000			
1	Noble Defend™			2970	4000			
1	Nypon			2370	3000			
1	Opi			2570	3000			
2	Orba RD			2920	4000			
1	Orba StainStop			2970	3000			
1	Orion			2370	3000			
2	Orion RD			2370	3000			
1	Orito			2370	3000			
2	Orito RD			2370	3000			
1	Overture Re-Life	3000	2042	3000	4000	3000	4000	2360
1	Oyster Topar	3500	2642	2970	4000	3500	4000	2960
1	Palmer			2370	3000			
1	Panama Deco			3070	4000			
1	Pasturo			2370	3000			
2	Pasturo RD			2370	3000			
1	Poladium			2970	3000			
2	Prestige RD	3500	1822	2150	3000	3500	3000	2140
1	Prezzo			2370	3000			
1	Riff			2500	4000			
1	Royal StainStop			2820	4000			
1	Sedna			2970	3000			
1	Sirius Screen 10%	3500	2790	2970	4000			
2	Solstice RD	3500	2290	2470	4000			
1	Soria			2370	3000			
2	Soria RD			2370	3000			
2	Source BO			1970	4000			
1	Strada StainStop Re-Life			2970	4000			
1	Sycamore StainStop			2920	4000			
1	Terrazzo			2370	3000			
2	Terrazzo RD			2370	3000			
1	Timezone 4%			2970	3000			
1	Tivoli			2470	3000			
1	Unico	3500	2042	2370	4000	3500	4000	2360
2	Unico RD	3500	2042	2370	4000	3500	4000	2360
1	Universe Re-Life 3%			2470	4000			
1	Vinca			2370	4000			
1	Volterra			2570	2600			
2	Waikiki RD			2500	1642			
1	Willow Oak			2370	3000			
2	Willow Oak RD			2370	3000			

Dimensions based on uncoated bottom rail and tube 62 mm



Colour number	Description	Price Group	Fabric composition	Transparency	*Fabric category for minimum width LiteRise®	Flame retardant	Lightfastness	Finishing Options			
								Fabric covered bottom rail	Decorative Bottom Bar	Skylight	Where in collection book?
0260	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-084
0261	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-102
0262	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-131
0263	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-135
0264	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-197
0267	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-177
0268	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-108
0288	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-044
0291	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-072
0322	Elegance StainStop	E	100% PES	Transparent	2		6	✓	✓	✓	1-012
0324	Elegance StainStop	E	100% PES	Transparent	2		6	✓	✓	✓	1-023
0343	Argos	4	50% PES / 50% LI	Semi-transparent	4		3-4	✓	✓	✓	1-004
0344	Argos	4	50% PES / 50% LI	Semi-transparent	4		3-4	✓	✓	✓	1-054
0432	Prestige RD	3	100% PES	Room darkening	4	B1	5-6		✓	✓	2-038
0563	Waikiki RD	1	100% PES	Room darkening	4		5	✓	✓	✓	2-010
0564	Waikiki RD	1	100% PES	Room darkening	4		5	✓	✓	✓	2-016
0611	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-037
0833	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-001
1006	Furore StainStop	3	100% TREVIRA CS	Transparent	1*	B1/EU-B	5	✓	✓	✓	1-083
1010	Hannalitz RD	4	100% PES	Room darkening	3		5	✓	✓		2-055
1012	Unico	2	100% PES	Translucent	4		7	✓	✓	✓	1-188
1013	Unico	2	100% PES	Translucent	4		7	✓	✓	✓	1-193
1015	Unico	2	100% PES	Translucent	4		7	✓	✓	✓	1-212
1037	Unico RD	3	100% PES	Room darkening	4		7	✓	✓	✓	2-076
1038	Unico RD	3	100% PES	Room darkening	4		7	✓	✓	✓	2-082
1039	Unico RD	3	100% PES	Room darkening	4		7	✓	✓	✓	2-103
1040	Endure	2	100% PES	Translucent	4	B1/EU-B	6	✓	✓	✓	1-096
1041	Endure	2	100% PES	Translucent	4	B1/EU-B	6	✓	✓	✓	1-110
1042	Endure	2	100% PES	Translucent	4	B1/EU-B	6	✓	✓	✓	1-146
1043	Endure	2	100% PES	Translucent	4	B1/EU-B	6	✓	✓	✓	1-196
1044	Endure	2	100% PES	Translucent	4	B1/EU-B	6	✓	✓	✓	1-159
1045	Endure	2	100% PES	Translucent	4	B1/EU-B	6	✓	✓	✓	1-181
1046	Dense	E	100% PES	Translucent	4		5-6	✓	✓	✓	1-118
1049	Dense	E	100% PES	Translucent	4		5-6	✓	✓	✓	1-123
1050	Dense	E	100% PES	Translucent	4		5-6	✓	✓	✓	1-156
1065	Equinox StainStop	3	100% PES	Transparent	1*		6-7	✓	✓		1-020
1066	Equinox StainStop	3	100% PES	Transparent	1*		6-7	✓	✓		1-064
1067	Equinox StainStop	3	100% PES	Transparent	1*		6-7	✓	✓		1-036
1068	Mesh	2	100% PES	Transparent	4		6	✓	✓		1-066
1069	Mesh	2	100% PES	Transparent	4		6	✓	✓		1-068
1070	Sedna	3	100% PES	Translucent	5		6	✓	✓		1-149
1071	Sedna	3	100% PES	Translucent	5		6	✓	✓		1-132
1072	Sedna	3	100% PES	Translucent	5		6	✓	✓		1-182
1073	Riff	3	100% PES	Translucent	5		6	✓	✓		1-134
1079	Riff	3	100% PES	Translucent	5		6	✓	✓		1-172
1081	Riff	3	100% PES	Translucent	5		6	✓	✓		1-183
1082	Lille	2	100% PES	Translucent	5		6	✓	✓		1-109
1083	Lille	2	100% PES	Translucent	5		6	✓	✓		1-128
1084	Lille	2	100% PES	Translucent	5		6	✓	✓		1-173
1096	Lille	2	100% PES	Translucent	5		6	✓	✓		1-167
1097	Lille RD	3	100% PES	Room darkening	5		6	✓	✓		2-045
1098	Lille RD	3	100% PES	Room darkening	5		6	✓	✓		2-032

* If the minimum width is greater than 1000 mm, see Luxaflex® Connect.



Colour number	Description	Price Group	Fabric composition	Transparency	*Fabric category for minimum width LiteRise®	Flame retardant	Lightfastness	Finishing Options			
								Fabric covered bottom rail	Decorative Bottom Bar	Skylight	Where in collection book?
1099	Lille RD	3	100% PES	Room darkening	5		6	✓	✓		2-036
1100	Lille RD	3	100% PES	Room darkening	5		6	✓	✓		2-068
1101	Lyon RD	4	100% PES	Room darkening	5		5	✓	✓		2-034
1102	Lyon RD	4	100% PES	Room darkening	5		5	✓	✓		2-087
1103	GreenScreen Sea-Tex® NXT	2	50% PES/50% ReOcPLASTIC	Semi-transparent	3		5	✓	✓	✓	1-008
1104	GreenScreen Sea-Tex® NXT	2	50% PES/50% ReOcPLASTIC	Semi-transparent	3		5	✓	✓	✓	1-046
1105	GreenScreen Sea-Tex® NXT	2	50% PES/50% ReOcPLASTIC	Semi-transparent	3		5	✓	✓	✓	1-050
1106	GreenScreen Sea-Tex® NXT	2	50% PES/50% ReOcPLASTIC	Semi-transparent	3		5	✓	✓	✓	1-081
1137	GreenScreen Sea-Tex® NXT	2	50% PES/50% ReOcPLASTIC	Semi-transparent	3		5	✓	✓	✓	1-067
1138	GreenScreen Sea-Tex® NXT	2	50% PES/50% ReOcPLASTIC	Semi-transparent	3		5	✓	✓	✓	1-077
1139	Orba RD	4	100% PES	Room darkening	5		5-6	✓	✓		2-024
1140	Orba RD	4	100% PES	Room darkening	5		5-6	✓	✓		2-042
1141	Orba RD	4	100% PES	Room darkening	5		5-6	✓	✓		2-094
1142	Orba RD	4	100% PES	Room darkening	5		5-6		✓		2-019
1143	Orba RD	4	100% PES	Room darkening	5		5-6	✓	✓		2-064
1144	Royal StainStop	3	100% PES	Translucent	5		7	✓	✓		1-176
1145	Royal StainStop	3	100% PES	Translucent	5		7	✓	✓		1-180
1146	Sycamore StainStop	3	100% PES	Translucent	4		6-7	✓	✓		1-090
1147	Sycamore StainStop	3	100% PES	Translucent	4		6-7	✓	✓		1-112
1148	Sycamore StainStop	3	100% PES	Translucent	4		6-7	✓	✓		1-166
1149	Sycamore StainStop	3	100% PES	Translucent	4		6-7	✓	✓		1-213
1151	Elegance StainStop	E	100% PES	Transparent	2		6	✓	✓	✓	1-076
1152	Elegance StainStop	E	100% PES	Transparent	2		6	✓	✓	✓	1-061
1153	Arles StainStop	3	100% PES	Translucent	4		6-7	✓	✓	✓	1-184
1154	Arles StainStop	3	100% PES	Translucent	4		6-7	✓	✓	✓	1-170
1156	Contorno StainStop	3	100% PES	Translucent	4		6-7	✓	✓	✓	1-152
1158	Contorno StainStop	3	100% PES	Translucent	4		6-7	✓	✓	✓	1-126
1159	GreenScreen Sea-Tex® NXT RD	3	50% PES/50% ReOcPLASTIC	Room darkening	5		5	✓	✓	✓	2-009
1161	GreenScreen Sea-Tex® NXT RD	3	50% PES/50% ReOcPLASTIC	Room darkening	5		5	✓	✓	✓	2-039
1163	GreenScreen Sea-Tex® NXT RD	3	50% PES/50% ReOcPLASTIC	Room darkening	5		5	✓	✓	✓	2-043
1164	GreenScreen Sea-Tex® NXT RD	3	50% PES/50% ReOcPLASTIC	Room darkening	5		5	✓	✓	✓	2-089
1165	GreenScreen Sea-Tex® NXT RD	3	50% PES/50% ReOcPLASTIC	Room darkening	5		5	✓	✓	✓	2-070
1166	GreenScreen Sea-Tex® NXT RD	3	50% PES/50% ReOcPLASTIC	Room darkening	5		5	✓	✓	✓	2-107
1167	Solstice RD	2	100% PES	Room darkening	5		5-6	✓	✓		2-071
1168	Solstice RD	2	100% PES	Room darkening	5		5-6	✓	✓		2-050
1169	Solstice RD	2	100% PES	Room darkening	5		5-6	✓	✓		2-074
1170	Solstice RD	2	100% PES	Room darkening	5		5-6	✓	✓		2-090
1171	Solstice RD	2	100% PES	Room darkening	5		5-6	✓	✓		2-077
1172	Strada StainStop Re-Life	3	89% RCY PES / 11% PES	Transparent	2		5-6	✓	✓	✓	1-063
1173	Strada StainStop Re-Life	3	89% RCY PES / 11% PES	Transparent	2		5-6	✓	✓	✓	1-024
1174	Strada StainStop Re-Life	3	89% RCY PES / 11% PES	Transparent	2		5-6	✓	✓	✓	1-040
1175	Strada StainStop Re-Life	3	89% RCY PES / 11% PES	Transparent	2		5-6	✓	✓	✓	1-060
1176	Noble Defend™	4	100% PES	Translucent	5	B1	5	✓	✓		1-169
1177	Noble Defend™	4	100% PES	Translucent	5	B1	5	✓	✓		1-107
1178	Noble Defend™	4	100% PES	Translucent	5	B1	5	✓	✓		1-140
1180	Vinca	3	100% PES	Translucent	3		5-6	✓	✓	✓	1-092
1181	Aster Delight	2	52% PES / 48% VI	Transparent	2		5		✓		1-007
1182	Aster Linen Delight	2	52% PES / 40% VI / 8% LI	Transparent	2		5		✓		1-051
1183	Ley Delight	2	54% PES / 46% VI	Transparent	2		5		✓		1-014
1184	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-141
1185	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-199
1199	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-186

* If the minimum width is greater than 1000 mm, see Luxaflex® Connect.



Colour number	Description	Price Group	Fabric composition	Transparency	*Fabric category for minimum width LiteRise®	Flame retardant	Lightfastness	Finishing Options			
								Fabric covered bottom rail	Decorative Bottom Bar	Skylight	Where in collection book?
1200	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-205
1201	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-214
1203	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-211
1204	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-206
1205	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-063
1206	Camara	2	100% PES	Translucent	3		6		✓	✓	1-091
1207	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-106
1208	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-097
1209	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-088
1210	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-083
1211	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-098
1212	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-073
1213	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-105
1214	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-101
1215	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-099
1216	Willow oak	3	100% PES	Translucent	4		6	✓	✓	✓	1-194
1217	Amaranth RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-085
1218	Bjork RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-023
1219	Corwen RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-095
1220	Jax RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-014
1221	Misstel RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-033
1222	Soria RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-075
1223	Orion RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-091
1224	Orion RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-102
1225	Willow oak RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-056
1226	Willow oak RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-080
1227	Terrazzo RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-096
1228	Terrazzo RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-104
1229	Terrazzo RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-006
1230	Nypon	3	100% PES	Translucent	4		6	✓	✓	✓	1-094
1231	Misstel	3	100% PES	Translucent	4		6	✓	✓	✓	1-189
1232	Bjork	3	100% PES	Translucent	4		6	✓	✓	✓	1-136
1234	Amaranth	3	100% PES	Translucent	4		6	✓	✓	✓	1-157
1235	Aster	3	100% PES	Translucent	4		6	✓	✓	✓	1-175
1236	Corwen	2	100% PES	Translucent	4		6	✓	✓	✓	1-210
1237	Corwen	2	100% PES	Translucent	4		6	✓	✓	✓	1-117
1238	Jax	2	100% PES	Translucent	4		6	✓	✓	✓	1-163
1239	Jax	2	100% PES	Translucent	4		6	✓	✓	✓	1-130
1240	Soria	3	100% PES	Translucent	4		6	✓	✓	✓	1-147
1241	Orion	2	100% PES	Translucent	4		6	✓	✓	✓	1-200
1245	Maracana	2	100% PES	Semi-transparent	4		6		✓		1-011
1246	Orion	2	100% PES	Translucent	4		6	✓	✓	✓	1-104
1248	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-154
1249	Terrazzo	2	100% PES	Translucent	4		6	✓	✓	✓	1-207
1251	Terrazzo	2	100% PES	Translucent	4		6	✓	✓	✓	1-129
1252	Terrazzo	2	100% PES	Translucent	4		6	✓	✓	✓	1-190
1253	Terrazzo	2	100% PES	Translucent	4		6	✓	✓	✓	1-120
1254	Alpha	2	24% PES / 76% PVC	Transparent	4	B1/EU-C	7-8	✓	✓		1-079
1255	Alpha	2	24% PES / 76% PVC	Transparent	4	B1/EU-C	7-8	✓	✓		1-042
1256	Alpha	2	24% PES / 76% PVC	Transparent	4	B1/EU-C	7-8	✓	✓		1-071
1257	Alpha	2	24% PES / 76% PVC	Transparent	4	B1/EU-C	7-8	✓	✓		1-075
1258	Judson	2	24% PES / 76% PVC	Semi-transparent	5	B1/EU-C	8	✓	✓		1-022

* If the minimum width is greater than 1000 mm, see Luxaflex® Connect.



Colour number	Description	Price Group	Fabric composition	Transparency	*Fabric category for minimum width LiteRise®	Flame retardant	Lightfastness	Finishing Options			
								Fabric covered bottom rail	Decorative Bottom Bar	Skylight	Where in collection book?
1259	Judson	2	24% PES / 76% PVC	Semi-transparent	5	B1/EU-C	8	✓	✓		1-055
1260	Judson	2	24% PES / 76% PVC	Semi-transparent	5	B1/EU-C	8	✓	✓		1-065
1261	Source BO	1	100% PES	Room darkening	4		6	✓	✓	✓	2-057
1262	Source BO	1	100% PES	Room darkening	4		6	✓	✓	✓	2-051
1263	Overture Re-Life	2	80% RCY PES / 20% PES	Translucent	4		5-6	✓	✓	✓	1-106
1264	Overture Re-Life	2	80% RCY PES / 20% PES	Translucent	4		5-6	✓	✓	✓	1-101
1265	Overture Re-Life	2	80% RCY PES / 20% PES	Translucent	4		5-6	✓	✓	✓	1-125
1269	Overture Re-Life	2	80% RCY PES / 20% PES	Translucent	4		5-6	✓	✓	✓	1-144
1270	Universe Re-Life 3%	2	100% RCY PET	Transparent	3	B1/M1	7	✓	✓		1-001
1271	Universe Re-Life 3%	2	100% RCY PET	Transparent	3	B1/M1	7	✓	✓		1-049
1272	Universe Re-Life 3%	2	100% RCY PET	Transparent	3	B1/M1	7	✓	✓		1-044
1273	Universe Re-Life 3%	2	100% RCY PET	Transparent	3	B1/M1	7	✓	✓		1-032
1274	Universe Re-Life 3%	2	100% RCY PET	Transparent	3	B1/M1	7	✓	✓		1-082
1275	Guard	2	100% TREVIRA CS	Semi-transparent	5	B1/M1	6-7	✓	✓	✓	1-009
1276	Guard	2	100% TREVIRA CS	Semi-transparent	5	B1/M1	6-7	✓	✓	✓	1-027
1277	Guard	2	100% TREVIRA CS	Semi-transparent	5	B1/M1	6-7	✓	✓	✓	1-078
1278	Bjork	2	100% PES	Translucent	4		6	✓	✓	✓	1-093
1279	Largo Re-Life	3	55% PES / 40% RCY PES / 5% VI	Translucent	4		5-6	✓	✓		1-103
1280	Largo Re-Life	3	55% PES / 40% RCY PES / 5% VI	Translucent	4		5-6	✓	✓		1-155
1281	Largo Re-Life	3	55% PES / 40% RCY PES / 5% VI	Translucent	4		5-6	✓	✓		1-158
1282	Largo Re-Life	3	55% PES / 40% RCY PES / 5% VI	Translucent	4		5-6	✓	✓		1-185
1306	Myrtle	3	100% PES	Room darkening	4		6	✓	✓	✓	2-120
1307	Gardenia	3	100% PES	Room darkening	4		6	✓	✓	✓	2-125
1308	Southwold	3	100% PES	Room darkening	4		6	✓	✓	✓	2-106
1309	Southwold	3	100% PES	Room darkening	4		6	✓	✓	✓	2-124
1310	Byron	3	100% PES	Room darkening	4		6	✓	✓	✓	2-121
1311	Oleander	3	100% PES	Room darkening	4		6	✓	✓	✓	2-087
1312	Grouse	3	100% PES	Room darkening	4		6	✓	✓	✓	2-089
1313	Flora	3	100% PES	Room darkening	4		6	✓	✓	✓	2-090
1314	Finch	3	100% PES	Room darkening	4		6	✓	✓	✓	2-085
1315	Firecrest	3	100% PES	Room darkening	4		6	✓	✓	✓	2-104
1316	Laural	3	100% PES	Room darkening	4		6	✓	✓	✓	2-102
1317	Jackson	3	100% PES	Room darkening	4		6	✓	✓	✓	2-086
1318	Provence	3	100% PES	Room darkening	4		6	✓	✓	✓	2-103
1319	Celeste	3	100% PES	Room darkening	4		6	✓	✓	✓	2-105
1320	Eden	3	100% PES	Room darkening	4		6	✓	✓	✓	2-088
1321	Holly	3	100% PES	Room darkening	4		6	✓	✓	✓	2-122
1322	Rivington wood	3	100% PES	Room darkening	4		6	✓	✓	✓	2-107
1323	Rivington wood	3	100% PES	Room darkening	4		6	✓	✓	✓	2-123
1324	Emerald	3	100% PES	Translucent	4		6	✓	✓	✓	1-195
1325	Myrtle	3	100% PES	Translucent	4		6	✓	✓	✓	1-212
1326	Gardenia	3	100% PES	Translucent	4		6	✓	✓	✓	1-229
1327	Elderberry	3	100% PES	Translucent	4		6	✓	✓	✓	1-213
1345	Byron	3	100% PES	Translucent	4		6	✓	✓	✓	1-198
1346	Ella	3	100% PES	Translucent	4		6	✓	✓	✓	1-196
1347	Ella	3	100% PES	Translucent	4		6	✓	✓	✓	1-231
1348	Grouse	3	100% PES	Translucent	4		6	✓	✓	✓	1-211
1349	Flora	3	100% PES	Translucent	4		6	✓	✓	✓	1-216
1350	Sweetbay	3	100% PES	Translucent	4		6	✓	✓	✓	1-194
1351	Sweetbay	3	100% PES	Translucent	4		6	✓	✓	✓	1-232
1352	Firecrest	3	100% PES	Translucent	4		6	✓	✓	✓	1-230

* If the minimum width is greater than 1000 mm, see Luxaflex® Connect.



Colour number	Description	Price Group	Fabric composition	Transparency	*Fabric category for minimum width LiteRise®	Flame retardant	Lightfastness	Finishing Options			
								Fabric covered bottom rail	Decorative Bottom Bar	Skylight	Where in collection book?
1353	Riley	3	100% PES	Translucent	4		6	✓	✓	✓	1-228
1356	Skyler	3	100% PES	Translucent	4		6	✓	✓	✓	1-215
1357	Ficus	3	100% PES	Translucent	4		6	✓	✓	✓	1-214
1358	Ficus	3	100% PES	Translucent	4		6	✓	✓	✓	1-197
1359	Damaskrose	3	100% PES	Translucent	4		6	✓	✓	✓	1-227
1360	Jasmine	3	100% PES	Translucent	4		6	✓	✓	✓	1-199
1679	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-089
1680	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-148
1681	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-153
1684	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-192
1689	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-204
1693	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-122
1695	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-059
1696	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-058
1697	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-061
1698	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-081
1727	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-025
1732	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-018
1734	Prestige RD	3	100% PES	Room darkening	4	B1	5-6		✓	✓	2-002
1736	Prestige RD	3	100% PES	Room darkening	4	B1	5-6		✓	✓	2-031
2166	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-017
2167	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-093
2175	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-100
2176	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-008
2423	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-121
2428	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-137
2715	Linen RD	3	97% PES / 3% VI	Room darkening	4		6	✓	✓		2-060
4554	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-116
4559	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-053
4568	Unico	2	100% PES	Translucent	4		7	✓	✓	✓	1-139
4569	Unico	2	100% PES	Translucent	4		7	✓	✓	✓	1-119
4570	Unico	2	100% PES	Translucent	4		7	✓	✓	✓	1-171
4579	Unico RD	3	100% PES	Room darkening	4		7	✓	✓	✓	2-028
4580	Unico RD	3	100% PES	Room darkening	4		7	✓	✓	✓	2-012
5730	Orito	2	100% PES	Translucent	3		5-6	✓	✓	✓	1-111
5732	Orito RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-047
6351	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-145
6402	Hannaliz RD	4	100% PES	Room darkening	3		5	✓	✓		2-003
6404	Hannaliz RD	4	100% PES	Room darkening	3		5	✓	✓		2-048
6405	Hannaliz RD	4	100% PES	Room darkening	3		5	✓	✓		2-067
6407	Hannaliz RD	4	100% PES	Room darkening	3		5	✓	✓		2-079
6423	Unico RD	3	100% PES	Room darkening	4		7	✓	✓	✓	2-062
6424	Unico RD	3	100% PES	Room darkening	4		7	✓	✓	✓	2-040
6425	Jewel RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-013
6427	Jewel RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-046
6428	Jewel RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-020
6434	Elements	2	100% PES	Translucent	4	B1/IMO	6	✓	✓	✓	1-095
6436	Elements	2	100% PES	Translucent	4	B1/IMO	6	✓	✓	✓	1-102
6437	Elements	2	100% PES	Translucent	4	B1/IMO	6	✓	✓	✓	1-122
6438	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-142
6440	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-095
6441	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-160

* If the minimum width is greater than 1000 mm, see Luxaflex® Connect.



Colour number	Description	Price Group	Fabric composition	Transparency	*Fabric category for minimum width LiteRise®	Flame retardant	Lightfastness	Finishing Options			
								Fabric covered bottom rail	Decorative Bottom Bar	Skylight	Where in collection book?
6444	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-198
6448	Oyster Topar	2	100% PES	Translucent	4		6	✓	✓	✓	1-097
6449	Natjana	1	93% PES / 7% LI	Translucent	4		4-5	✓	✓	✓	1-151
6489	Kirtana	E	100% PES	Transparent	2		4-5		✓		1-015
6490	Kirtana	E	100% PES	Transparent	2		4-5		✓		1-062
6491	Kirtana	E	100% PES	Transparent	2		4-5		✓		1-072
6492	Kirtana	E	100% PES	Transparent	2		4-5		✓		1-045
6493	Kirtana	E	100% PES	Transparent	2		4-5		✓		1-070
6500	Kundera Delight	2	43% PES / 45% VI / 12% LI	Transparent	3		4-5		✓		1-058
6501	Furore StainStop	3	100% TREVIRA CS	Transparent	1*	B1/EU-B	5	✓	✓	✓	1-039
6503	Furore StainStop	3	100% TREVIRA CS	Transparent	1*	B1/EU-B	5	✓	✓	✓	1-059
6504	Furore StainStop	3	100% TREVIRA CS	Transparent	1*	B1/EU-B	5	✓	✓	✓	1-037
6505	Furore StainStop	3	100% TREVIRA CS	Transparent	1*	B1/EU-B	5	✓	✓	✓	1-005
6506	Furore StainStop	3	100% TREVIRA CS	Transparent	1*	B1/EU-B	5	✓	✓	✓	1-053
6528	Lylith	3	100% PES	Semi-transparent	4		5-6	✓	✓		1-074
6533	Poladium	2	100% TREVIRA CS	Semi-transparent	4	B1	6-7	✓	✓	✓	1-002
6555	Sirius Screen 10%	2	79% PVC / 21% PES	Transparent	3	B1/EU-B	7-8		✓		1-017
6556	Sirius Screen 10%	2	79% PVC / 21% PES	Transparent	3	B1/EU-B	7-8		✓		1-021
6557	Sirius Screen 10%	2	79% PVC / 21% PES	Transparent	3	B1/EU-B	7-8		✓		1-035
6558	Sirius Screen 10%	2	79% PVC / 21% PES	Transparent	3	B1/EU-B	7-8		✓		1-025
6781	Furore StainStop	3	100% TREVIRA CS	Transparent	1*	B1/EU-B	5	✓	✓	✓	1-043
6790	Timezone 4%	3	100% PES	Semi-transparent	4	B1/M1	6	✓	✓		1-026
6791	Timezone 4%	3	100% PES	Semi-transparent	4	B1/M1	6	✓	✓		1-038
6792	Timezone 4%	3	100% PES	Semi-transparent	4	B1/M1	6	✓	✓		1-048
6799	Day 5%	3	64% PVC / 36% GL	Semi-transparent	3	M2	7-8	✓	✓		1-069
6803	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-099
6804	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-203
6812	Dense	E	100% PES	Translucent	4		5-6	✓	✓	✓	1-085
6813	Dense	E	100% PES	Translucent	4		5-6	✓	✓	✓	1-086
6814	Dense	E	100% PES	Translucent	4		5-6	✓	✓	✓	1-165
6815	Dense	E	100% PES	Translucent	4		5-6	✓	✓	✓	1-150
6816	Dense	E	100% PES	Translucent	4		5-6	✓	✓	✓	1-127
6830	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-179
6833	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-202
6834	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-191
6836	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-174
6839	Unico	2	100% PES	Translucent	4		7	✓	✓	✓	1-201
6867	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-021
6870	Unico RD	3	100% PES	Room darkening	4		7	✓	✓	✓	2-086
6871	Unico RD	3	100% PES	Room darkening	4		7	✓	✓	✓	2-054
6877	Lumiere RD	2	100% PES	Room darkening	4		6	✓	✓	✓	2-015
6899	Unico	2	100% PES	Translucent	4		7	✓	✓	✓	1-100
7360	Arwen	3	100% PES	Transparent	1*		5-6		✓	✓	1-003
7365	Palmer	3	100% PES	Translucent	1		6-7	✓	✓	✓	1-098
7370	Basalt RD	3	100% PES	Room darkening	4		6-7	✓	✓	✓	2-004
7378	Cera	2	100% PES	Translucent	4		5-6	✓	✓	✓	1-161
7384	Basalt RD	3	100% PES	Room darkening	4		6-7	✓	✓	✓	2-027
7387	Cera	2	100% PES	Translucent	4		5-6	✓	✓	✓	1-115
7388	Waikiki RD	1	100% PES	Room darkening	4		5	✓	✓	✓	2-035
7403	Arwen	3	100% PES	Transparent	1*		5-6		✓	✓	1-080
7449	Nero BO	3	100% PES	Room darkening	3	B1/M1	6-7	✓	✓	✓	2-005
7450	Nero BO	3	100% PES	Room darkening	3	B1/M1	6-7	✓	✓	✓	2-030

* If the minimum width is greater than 1000 mm, see Luxaflex® Connect.



Colour number	Description	Price Group	Fabric composition	Transparency	*Fabric category for minimum width LiteRise®	Flame retardant	Lightfastness	Finishing Options			
								Fabric covered bottom rail	Decorative Bottom Bar	Skylight	Where in collection book?
7451	Nero BO	3	100% PES	Room darkening	3	B1/M1	6-7	✓	✓	✓	2-022
7452	Nero BO	3	100% PES	Room darkening	3	B1/M1	6-7	✓	✓	✓	2-041
7473	Brescia RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-066
7479	Forio RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-007
7483	Frisa	2	100% PES	Semi-transparent	4		6	✓	✓	✓	1-006
7484	Frisa	2	100% PES	Semi-transparent	4		6	✓	✓	✓	1-073
7485	Gerola	1	100% PES	Translucent	4		5	✓	✓	✓	1-087
7490	Corato	3	100% PES	Translucent	4		6	✓	✓	✓	1-114
7494	Luzzi RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-029
7495	Luzzi RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-049
7496	Luzzi RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-052
7499	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-187
7503	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-208
7504	Elements	1	100% PES	Translucent	4		6	✓	✓	✓	1-209
7506	Elegance StainStop	E	100% PES	Transparent	2		6	✓	✓	✓	1-056
7509	Matino Delight	2	70% PES / 30% VI	Transparent	2		6		✓		1-052
7510	Melle Delight	2	70% PES / 30% VI	Transparent	2		6		✓		1-013
7511	Orba StainStop	3	100% PES	Translucent	4		6	✓	✓	✓	1-105
7512	Orba StainStop	3	100% PES	Translucent	4		6	✓	✓	✓	1-143
7514	Orba StainStop	3	100% PES	Translucent	4		6	✓	✓	✓	1-195
7515	Orba StainStop	3	100% PES	Translucent	4		6	✓	✓	✓	1-178
7516	Opi	3	100% PES	Semi-transparent	2		5-6	✓	✓	✓	1-019
7517	Opi	3	100% PES	Semi-transparent	2		5-6	✓	✓	✓	1-029
7519	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-092
7520	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-078
7521	Esterno RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-084
7523	Unico	2	100% PES	Translucent	4		7	✓	✓	✓	1-168
7524	Unico RD	3	100% PES	Room darkening	4		7	✓	✓	✓	2-069
7525	Pasturo	2	100% PES	Translucent	1		6	✓	✓	✓	1-088
7526	Pasturo	2	100% PES	Translucent	1		6	✓	✓	✓	1-113
7527	Pasturo RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-011
7528	Pasturo RD	3	100% PES	Room darkening	4		6	✓	✓	✓	2-026
7529	Prezzo	3	100% PES	Translucent	4		5-6	✓	✓	✓	1-138
7530	Prezzo	3	100% PES	Translucent	4		5-6	✓	✓	✓	1-124
7536	Dense	E	100% PES	Translucent	4		5-6	✓	✓	✓	1-164
7537	Dense	E	100% PES	Translucent	4		5-6	✓	✓	✓	1-133
7540	Tivoli	3	100% PES	Transparent	3		5-6		✓		1-010
7547	Volterra	3	100% PES	Semi-transparent	2		5-6	✓	✓	✓	1-018
7548	Volterra	3	100% PES	Semi-transparent	2		5-6	✓	✓	✓	1-030
7951	GreenScreen Sea-Tex® Defend™	3	50% PES/50% ReOcPLASTIC	Semi-transparent	4	B1/EU-B	6	✓	✓	✓	1-016
7952	GreenScreen Sea-Tex® Defend™	3	50% PES/50% ReOcPLASTIC	Semi-transparent	4	B1/EU-B	6	✓	✓	✓	1-033
7953	GreenScreen Sea-Tex® Defend™	3	50% PES/50% ReOcPLASTIC	Semi-transparent	4	B1/EU-B	6	✓	✓	✓	1-034
7954	GreenScreen Sea-Tex® Defend™	3	50% PES/50% ReOcPLASTIC	Semi-transparent	4	B1/EU-B	6	✓	✓	✓	1-057
7963	Panama Deco	2	64% PVC / 36% GL	Semi-transparent	4	M2	7		✓		1-031
7966	Panama Deco	2	64% PVC / 36% GL	Semi-transparent	4	M2	7		✓		1-028
7967	Panama Deco	2	64% PVC / 36% GL	Semi-transparent	4	M2	7		✓		1-047
7968	GreenScreen Sea-Tex® Defend™	3	50% PES/50% ReOcPLASTIC	Semi-transparent	4	B1/EU-B	6	✓	✓	✓	1-041

* If the minimum width is greater than 1000 mm, see Luxaflex® Connect.

* Minimum width of a roller blind with LiteRise® control (approximate):

Category 1* :
Always see Luxaflex® Connect
for exact minimum widths

Category 1:
Minimum width 1000 mm
Category 2:
Minimum width 900 mm

Category 3:
Minimum width 800 mm
Category 4:
Minimum width 700 mm

Category 5:
Minimum width is smaller than 700 mm




OPERATION TYPES

All products are produced according to the child safety regulations (EN 13120). (window covering mounted at the inside of the window, performance requirements including safety). When products are ordered, please measure installation height.

For simple ordering all mounting systems can be ordered with a model series and operation types can be described with a single number. For example a chain operated (type 1) blind on brackets (series 10) would be described as a blind type 11, whilst a PowerView® blind on an open small cassette would be known as a blind type 568.

Operation types

	1. Chain · Standard operation type for all models · Standard is a looped chain with single chain break. Type A for in Recess mounting, type B for on Face mounting · Chain is silver metal as standard. Optional plastic chain is possible in the white, grey or black. This is always coordinated to the profile colour · Operation possible on left or right side · 1:1 gear ratio for all sizes for quick operation · Min. width 210 mm, max. width 3500 mm · Min. height 450 mm, max. height 4000 mm		4. LiteRise® · Optional, child safe operation (surcharge) - Only available with an uncovered bottom rail, fabric covered bottom rail is not available · Tube has diameter of 31 or 37 mm · Not possible with side guide cable and decorative bottom bar · Available with mounting profile and cassette S1 and S2 · Some fabrics are not suitable, see fabric sticker or collection overview for details · Min. width 600 mm*, max. width 2500 mm · Min. height 300 mm, max. height 2500 mm
	3. SoftRaise® · Optional handle control, with spring. · Control via the bottom rail: - Down: Pull down the bottom bar, the roller blind remains in position. - Up: Pull down the bottom bar and release. The roller blind rolls up automatically. · Available with mounting profile, S1 cassette or S2 cassette. · Minimum width 600 mm , maximum width 2000 mm. · Minimum height 300 mm , maximum height 2500 mm. · Only available with 31 mm tube. · Only available with standard uncoated oval bottom rail. · Not available with profile or cable side guidance. - Optional with handle or 200 mm cord with Luxaflex® decorative knob on the bottom		



6. Motorised

- Optional, child safe operation (surcharge)
- Available for all models
- Motor connection can be on the left or right side
- Battery motor(s) available
- 24Volt motor(s) available
- 230Volt motor available
- Operation via switch, remote control
- Min. width depending on specific motor size, max. width 3500 mm
- Min. height 300 mm, max. height 4000 mm
- The different types of motors are specified at the end of this chapter.






8. PowerView®

- Optional, child safe operation (surcharge)
- Available for all models
- Motor connection can be on the left or right side
- 18Volt battery or rechargeable pack for blinds up to 2500 mm
- 230Volt battery for blinds over 2500 mm width, up to 3500 mm width
- Remote control or app control
- Min. width depending on specific motor size, max. width 3500 mm
- Min. height 300 mm, max. height 4000 mm
- The different types of PowerView® motors are specified at the end of this chapter.
- More information about PowerView®, see the PowerView® Price list for details



INSTALLATION OPTIONS

Installation options

	Brackets · 33 mm bracket on 31 mm tube > maximum 2000 mm width · 38 mm bracket on 37 mm tube > maximum 2500 mm width · 46 mm bracket on 50 mm tube > maximum 3000 mm width · 55 mm bracket on 62 mm tube > maximum 3500 mm width · Optional: 75 mm bracket on 62 mm tube · Optional: bigger bracket for each tube size to accommodate higher blinds Steel bracket sizes (mm): 33 mm A = 62 B = 54 C = 18 38 mm A = 66 B = 54 C = 18 46 mm A = 80 B = 54 C = 18 55 mm A = 93 B = 54 C = 18 75 mm A = 113 B = 54 C = 18 Plastic and Aluminium bracket sizes (mm): 33 mm A = 60 B = 53 C = 18 38 mm A = 65 B = 53 C = 18 46 mm A = 71 B = 53 C = 18 · Possible for bracket installations and mounting profile · Available in three colours: white, black and grey		Clips · Possible for mounting profile · Possible for all operations · Silver for all profile colours
   		Cassette brackets · Sizes cassette S1 (in mm) A = 59 B = 68 C = 37 D = 18 · Sizes cassette S2 (in mm) A = 66 B = 80 C = 40 D = 19 · Sizes cassette S3 (in mm) A = 80 B = 100 C = 55 D = 45	


Number of brackets

Product width (mm)	0-1199	1200-2199	2200-2999	3000-3500
Number of brackets - mounting profile	2	3	4	
Number of brackets - cassette	2	3	4	5






HARDWARE



Head rails

	Optional Plastic bracket - Model 10 · Glass-fibre reinforced plastic bracket · Chain operation only · Available in white, grey and black · Option: side guiding cables (surcharge) · Option: reverse rolled (front rolling)		
	Standard Steel bracket & Optional Aluminium bracket - Model 10 · Standard mounting · Operation possible on left and right side · Available for all operations · Available for all models · Available in two different concepts: steel (=standard) and aluminium design (surcharge) · Steel brackets available in three colours: white, grey and black. Design brackets available in six special finishes and white or black painted (surcharge) · Note! Chain operation has a specific chain drive bracket · Available with 4 different tube diameters: 31, 37, 50, 62 mm · Steel brackets available in 33 mm, 38 mm, 46 mm and 55 mm · Design brackets available in 33 mm, 38 mm and 46 mm length. · Design brackets standard with colour-coordinated metal inlays · Different colour bottom rail is possible · Option: side guiding cables (surcharge) · Option: reverse rolled (front rolling)		Optional Mounting Profile - Model 20 · Optional mounting solution (surcharge) · Operation possible on left and right side · Available for all operations · Available for all models · Available in two different concepts: steel (=standard) and aluminium design (surcharge) · Available in three colours: white, grey and black. · Available with 3 different tube diameters: 31, 37, 50 mm · Standard bracket lengths: - 38 mm bracket on 31 mm tube > maximum 2000 mm width x 3000 mm height - 46 mm bracket on 37 mm tube > maximum 2500 mm width x 3000 mm height - 55 mm bracket on 50 mm tube > maximum 3000 mm width x 3000 mm height · (Aluminium) design bracket up to 2500 mm width only (38 mm and 46 mm bracket). Colour 7060 only · Faster and flexible installation on a weaker surface · Different colour bottom rail is possible · Option: side guiding cables (surcharge) · Option: front rolling
			
			




	Cassette S1 Open model 560 · Option (surcharge) · Operation possible on left and right side · Available for all operations · Available in three colours: white, black and (anodized) grey · Available with 2 different tube diameters: 31, 37 mm · Dimensions: 68 mm high, 72 mm deep · Mounting with universal brackets (colour-coordinated) for wall or ceiling mounting · Limited roll-up diameter available – Maximum 1800 mm height · Option: side guiding cables (surcharge) · Option: reverse rolled (front rolling)		Cassette S2 Open model 580 · Option (surcharge) · Operation possible on left and right side · Available for all operations · Available in three colours: white, black and (anodized) grey · Available with 2 different tube diameters: 31, 37 mm · Dimensions: 80 mm high, 89 mm deep · Only back rolling (=standard) possible · Mounting with universal brackets (colour-coordinated) for wall or ceiling mounting · Limited roll-up diameter available – Maximum 3000 mm height · Option: side guiding cables (surcharge)
	Cassette S1 Closed model 570 · Option (surcharge) · Operation possible on left and right side · Available for all operations · Available in three colours: white, black and (anodized) grey · Available with 2 different tube diameters: 31, 37 mm · Dimensions: 68 mm high, 72 mm deep · Only back rolling (=standard) possible · Mounting with universal brackets (colour-coordinated) for wall or ceiling mounting · Limited roll-up diameter available – Maximum 1800 mm height · Option: 35 mm (room darkening) side guiding profiles (surcharge) · Option: side guiding cables (surcharge) · Option: bottom profile		Cassette S2 Closed model 590 · Option (surcharge) · Operation possible on left and right side · Available for all operations · Available in three colours: white, black and (anodized) grey · Available with 2 different tube diameters: 31, 37 mm · Dimensions: 80 mm high, 89 mm deep · Only back rolling (=standard) possible · Mounting with universal brackets (colour-coordinated) for wall or ceiling mounting · Limited roll-up diameter available – Maximum 3000 mm height · Option: 35 mm (room darkening) side guiding profiles (surcharge) · Option: 64mm (room darkening) side guiding profiles (surcharge) · Option: bottom profile for side guiding profiles (surcharge) · Option: side guiding cables (surcharge) · Option: bottom profile



 	Cassette S3 Open model 680 · Option (surcharge) · Operation possible on left and right side · Available for all operations except LiteRise® and SoftRaise® · Available in three colours: white, black and (anodized) grey · Available with 2 different tube diameters: 50, 62 mm · Dimensions: 98 mm high, 100 mm deep · Only back rolling (=standard) possible · Mounting with universal brackets (colour-coordinated) for wall or ceiling mounting · Limited roll-up diameter available – Maximum 3000 mm height · Option: side guiding cables (surcharge)
 	Cassette S3 Closed model 690 · Option (surcharge) · Operation possible on left and right side · Available for all operations except LiteRise® and SoftRaise® · Available in three colours: white, black and (anodized) grey · Available with 2 different tube diameters: 50, 62 mm · Dimensions: 98 mm high, 100 mm deep · Only back rolling (=standard) possible · Mounting with universal brackets (colour-coordinated) for wall or ceiling mounting · Limited roll-up diameter available – Maximum 3000 mm height · Option: 64mm (room darkening) side guiding profiles (surcharge) · Option: bottom profile for side guiding profiles (surcharge) · Option: side guiding cables (surcharge) · Option: bottom profile



Bottom rails

	EOS Oval - Standard bottom bar for blinds up to 2500 mm width - Available in three standard colours: white, black and (anodized) grey. Design edition option available in six special finishes - The bottom rail is uncovered as standard - Option: covered bottom rail - Option: side guiding cable (surcharge)		13x30 - Standard bottom bar for cassettes with side guiding profiles - Available in three colours: white, black and (anodized) grey - Only available uncovered
	EOS Oval XL - Heavy bottom bar - Standard bottom bar for blinds above 2500 mm width - Available in three colours: white, black and (anodized) grey. Design Edition option available in six special finishes - The bottom rail is uncovered as standard - Option: covered bottom rail - Option: side guiding cable (surcharge)		Decorative Trim - Optional bottom rail (surcharge) 40mm decorative trim attached on fabric on the front and back side - Possible for blinds up to 2500 mm width - See fabric sticker or collection overview for fabric suitability - See profile colours or collection book for material selection

Profile colours including Design Edition

- Standard hardware is available in white, (anodized) grey and black.
- Design hardware is available in 6 metal finishes and 2 painted colours. See collection book for details
- Luxaflex® Design consist of multiple colour-coordinated components for a high end finish

Design colour	Colour code	Cover colour code	Guide & wheel colour code	Bottom bar colour code	Bottom bar endcap colour code
White	0199	0199	0155	0199	0155
Pearl Chrome	7060	7060	0952	7052	0952
Gun Metal Grey	7123	7123	1858	7123	1858
Champagne	7190	7190	0972	7190	0972
Black	1858	1858	1858	1858	1858




- The decorative trims are available in the following colours

LPN	Colour description
6323	Alu Grey 25mm
1284	Alu Grey 40mm
1283	White
1285	Black



OPTIONS

Options



Side guiding cable

- Not possible in combination with decorative bottom rail and LiteRise®
- The steel cable is plastic covered for optimal wear resistance
- All cables are spring loaded for easy mounting without losing tension over time
- For blinds with a width to height ratio of 1:3 we advise side guiding cables to limit not rolling straight. Blinds ordered without side guiding over this ratio will have fabric that is cut 3 mm smaller to prevent damaging of the fabric when not rolling straight
- Blind over 1:4 can only be produced with the cable option
- Ways of mounting:
A = on face
B = sideways
C = in recess



Side guiding profiles 35 mm


- Available by cassette S1 Closed, cassette S2 Closed and cassette S3 Closed
- Profiles can be ordered for mounting with tape (no-drilling) or with screws (mention on order)
- Tape mounting requires a smooth and clean surface for secure adhesion



Side guiding profiles 64 mm

- Available by cassette S2 Closed and cassette S3 Closed
- Profiles can be ordered clip mounting or with screws (mention on order)
- Clip mounting offers a removable mounting solution for easy access behind the profiles
- Option: profiles can be fitted with brushes for even more room darkening properties



	Roll direction: Front/Reverse rolling · Fabric rolls at the front of the tube · Side guiding only on type 10 plus ceiling mount · No surcharge · Possible with brackets and mounting profile		Optional integrated leveller · To secure the required horizontal position of the tube (even when the bracket position is a little off) the blinds can optional be fitted with an integrated leveler on the bracket · Only available with steel brackets and Pearl Chrome (7060) Design brackets · The lever itself is die-cast aluminium (7060) · Tube position can be adjusted 5 mm up or 5 mm down with a standard 2mm (hexagonal) Allan key
	Design edition package · Without mounting profile (with mounting profile only Pearl Chrome colour) · Only possible with brackets up to width 2500 mm · The brackets can be selected in sets, which means that the parts, bottom rail, end caps and inlay are colour coordinated · Always with Silver RVS chain · Surcharge		

